IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A camera comprising:

a body of the camera; and

an electroluminescence display device attached to the body, the electroluminescence display device being configured to project an image to <u>only</u> one <u>of a right eye and a left</u> eye of a user and comprising:

a substrate having a first surface and a second surface wherein the second surface is on an opposite side of the substrate with respect to the first surface;

a thin film transistor formed over the first surface of the substrate;

a planarizing film formed over the thin film transistor, the planarizing film comprising a resin and having a planarized upper surface so as to reduce a step caused by at least the thin film transistor on a surface of the planarizing film;

a first electrode formed on the planarizing film and electrically connected to the thin film transistor;

an emission layer formed over the first electrode;

a second electrode formed over the emission layer,

wherein the second surface of the substrate has a spherical configuration which acts as a lens.

2. (Canceled)

3. (Previously Presented) The camera according to claim 1, wherein said emission layer

comprises an organic electroluminescence material.

- 4-31 (Canceled)
- 32. (Previously Presented) The camera according to claim 1, wherein said emission layer comprises an inorganic electroluminescence material.
 - 33. (Canceled)
- 34. (Previously Presented) The camera according to claim 1 wherein the camera is a video camera.
- 35. (Previously Presented) The camera according to claim 1 wherein the camera is a digital camera.
 - 36. (Currently Amended) A camera comprising:
 - a body of the camera; and

an electroluminescence display device attached to the body, the electroluminescence display device being configured to project an image to <u>only</u> one of a right eye and a left eye of a user and comprising:

a substrate having a first surface and a second surface wherein the second surface is on an opposite side of the substrate with respect to the first surface;

a thin film transistor formed over the first surface of the substrate, said thin film transistor

comprising an LDD region and a gate electrode partly overlapping the LDD region;

a planarizing film formed over the thin film transistor, the planarizing film comprising a resin and having a planarized upper surface so as to reduce a step caused by at least the thin film transistor on a surface of the planarizing film;

a first electrode formed on the planarizing film and electrically connected to the thin film transistor;

an emission layer formed over the first electrode;

a second electrode formed over the emission layer,

wherein the second surface of the substrate has a spherical configuration which acts as a lens.

- 37. (Previously Presented) The camera according to claim 36, wherein said emission layer comprises an organic electroluminescence material.
- 38. (Previously Presented) The camera according to claim 36, wherein said emission layer comprises an inorganic electroluminescence material.
 - 39. (Canceled)
- 40. (Previously Presented) The camera according to claim 36 wherein the camera is a video camera.
- 41. (Previously Presented) The camera according to claim 36 wherein the camera is a digital camera.

42-47. (Canceled)

- 48. (Currently Amended) A camera comprising:
- a body of the camera; and

a view finder for <u>only</u> one of a right eye and a left eye of a user, the viewfinder including an electroluminescence display device attached to the body, the electroluminescence display device comprising:

a substrate having a first surface and a second surface wherein the second surface is on an opposite side of the substrate with respect to the first surface;

a thin film transistor formed over the first surface of the substrate;

a planarizing film formed over the thin film transistor, the planarizing film comprising a resin and having a planarized upper surface so as to reduce a step caused by at least the thin film transistor on a surface of the planarizing film;

a first electrode formed on the planarizing film and electrically connected to the thin film transistor;

an emission layer formed over the first electrode;

a second electrode formed over the emission layer,

wherein the second surface of the substrate has a spherical configuration which acts as a lens.

- 49. (Previously Presented) The camera according to claim 48, wherein said emission layer comprises an organic electroluminescence material.
 - 50. (Previously Presented) The camera according to claim 48, wherein said emission layer

comprises an inorganic electroluminescence material.

51. (Canceled)

- 52. (Previously Presented) The camera according to claim 48 wherein the camera is a video camera.
- 53. (Previously Presented) The camera according to claim 48 wherein the camera is a digital camera.
 - 54. (Currently Amended) A camera comprising:
 - a body of the camera; and

a view finder for <u>only</u> one of a right eye and a left eye of a user, the viewfinder including an electroluminescence display device attached to the body, the electroluminescence display device comprising:

a substrate having a first surface and a second surface wherein the second surface is on an opposite side of the substrate with respect to the first surface;

a thin film transistor formed over the first surface of the substrate, said thin film transistor comprising an LDD region and a gate electrode partly overlapping the LDD region;

a planarizing film formed over the thin film transistor, the planarizing film comprising a resin and having a planarized upper surface so as to reduce a step caused by at least the thin film transistor on a surface of the planarizing film;

a first electrode formed on the planarizing film and electrically connected to the thin film

transistor;

an emission layer formed over the first electrode;

a second electrode formed over the emission layer,

wherein the second surface of the substrate has a spherical configuration which acts as a lens.

- 55. (Previously Presented) The camera according to claim 54, wherein said emission layer comprises an organic electroluminescence material.
- 56. (Previously Presented) The camera according to claim 54, wherein said emission layer comprises an inorganic electroluminescence material.
 - 57. (Canceled).
- 58. (Previously Presented) The camera according to claim 54 wherein the camera is a video camera.
- 59. (Previously Presented) The camera according to claim 54 wherein the camera is a digital camera.
 - 60-65. (Canceled)
- 66. (New) The camera according to claim 1 wherein the second surface of the substrate has a single spherical configuration which acts as a single lens.

- 67. (New) The camera according to claim 36 wherein the second surface of the substrate has a single spherical configuration which acts as a single lens.
- 68. (New) The camera according to claim 48 wherein the second surface of the substrate has a single spherical configuration which acts as a single lens.
- 69. (New) The camera according to claim 54 wherein the second surface of the substrate has a single spherical configuration which acts as a single lens.